

PRODUCT DATA SHEET

STERLYN

PRODUCT DATA SHEET

STERLYN

SL220SN Sterlyn single lever basin mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

5,3 L / minute

Material

Chrome plated
DZR brass

Special notes


Suitable for balanced supplies.

Flexible hoses designed to accomodate 1/2" fittings.

Fitted with a 6 L per minute flow regulator.

Includes

One hole, single lever, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mm x 15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL220SNL Sterlyn single lever tall basin mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

6,3 L / minute

Material

Chrome plated
DZR brass

Special notes


Suitable for balanced supplies.

Flexible hoses designed to accomodate 1/2" fittings.

Fitted with a 6 L per minute flow regulator.

Includes

One hole, single lever, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mm x 15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL301SN Sterlyn single lever deck type sink mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

14 L / minute

Material

Chrome plated
DZR brass


Special notes

Suitable for balanced supplies.

Flexible hoses designed to accomodate 1/2" fittings.

Includes

One hole, single lever, high swivel spout, easyclean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mm x 15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-ring



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL240SN Sterlyn single lever bidet mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

12,4 L / minute

Material

Chrome plated
DZR brass


Special notes

Suitable for balanced supplies.

Flexible hoses designed to accomodate 1/2" fittings.

Includes

One hole, single lever, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mm x 15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL100SN Sterlyn single lever shower / bath mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

23,8 L / minute

Material

Chrome plated
DZR brass


Special notes

Suitable for balanced supplies.

Inlets & outlets are designed to accomodate 1/2" fittings. Includes blank for outlet selection.

Includes

Sliding CP cover plate, 35mm citec cartridge, 4 way ports, 2 x 1/2" MI inlets & 2 x 1/2" MI outlets, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL105SN

Sterlyn single lever shower / bath mixer with diverter

Product details

Finish

Chrome

Flow rate @ 3 bar

21,6 L / minute

Material

Chrome plated
DZR brass


Special notes

Suitable for balanced supplies.

Inlets & outlets are designed to accomodate 1/2" fittings.

Includes

Sliding CP cover plate, diverter push button, 35mm citec cartridge, 2 x G1/2" FI inlets & 2 x G1/2" FI outlets, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL120SNW Sterlyn single lever bath mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

19,3 L / minute

Material

Chrome plated
DZR brass

Special notes


Suitable for balanced supplies.

Inlets are designed to accomodate 1/2" fittings.

Includes a 1,2m long hose & hand shower.

Includes

Two hole, single lever, with diverter, G1/2" s-connectors adjustable from 128mm - 172mm centres. Supplied with hand shower, hose, wall bracket, 35mm citec cartridge, easy-clean aerator, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM orings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL210SN Sterlyn single lever wall type sink mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

16,5 L / minute

Material

Chrome plated
DZR brass


Special notes

Suitable for balanced supplies.

Inlets are designed to accomodate 1/2" fittings.

Includes

Two hole, single lever, swivel spout 250mm,
G1/2" s-connectors adjustable from 128mm - 172mm
centres, 35mm citec cartridge & easy-clean aerator,
DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL220SNW Sterlyn single lever wall type basin mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

5,3 L / minute

Material

Chrome plated
DZR brass

Special notes

Suitable for balanced supplies.



Inlets designed to accomodate 1/2" fittings.

Fitted with a 6 L per minute flow regulator.

Includes

35mm citec cartridge, DZR brass,

Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.



PRODUCT DATA SHEET

STERLYN

SL500SN Sterlyn freestanding bath mixer

Product details

Finish

Chrome

Flow rate @ 3 bar

15L / minute

Material

Chrome plated
DZR brass

Special notes



Suitable for balanced supplies.

Inlets are designed to accomadate 1/2" fittings.

Includes a 1,2m long hose & hand shower.

Includes

35mm citec cartridge, 2 x G1/2" FI inlets & 1 x G1/2" FI outlet, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.



15 YEAR GUARANTEE

#MYMEISSEN

Meissen (South Africa) makes every effort to ensure that the information provided on its website is accurate. However, we cannot guarantee this, and accept no liability for any information or advice given via its website.

